

Data Sheet

AVAILABLE PERFORATIONS

| Perforation Style | Nominal Hole Diameter | Description Inches | Description mm | Nominal Open Area | Maximum Width |
|-------------------|--------------------------|---------------------------------------|--------------------------------|-------------------|-------------------------|
| P | 1,143 mm (0,045 inch) | Staggered 0,25 inch center | Staggered 6,3 mm center | 1,27 % | 182,9 cm (72 inches) |
| P1 | 1,143 mm (0,045 inch) | Staggered 0,25 inch 0,50 inch | Staggered 6,3 mm 1,27 mm | 0,63 % | 182,9 cm (72 inches) |
| P3 | 0,381 mm (0,015 inch) | Staggered 0,25 inch center | Staggered 6,3 mm center | 0,14 % | 182,9 cm (72 inches) |
| P4 | 1,143 mm (0,045 inch) | 2 inches center | 50,8 mm center | 0,04 % | 182,9 cm (72 inches) |
| P5 | 1,143 mm (0,045 inch) | 3,5 inches center | 88,9 mm center | 0,013 % | 182,9 cm (72 inches) |
| P6 | 0,381 mm (0,015 inch) | 2 inches center | 50,8 mm center | 0,0044 % | 162,6 cm (64 inches) |
| P7 | 0,381 mm (0,015 inch) | 3 inches center | 76,2 mm center | 0,0019 % | 162,6 cm (64 inches) |
| P8 | 0,381 mm (0,015 inch) | 8 inches center | 203,2 mm center | 0,0003 % | 162,6 cm (64 inches) |
| P10 | 1,143 mm (0,045 inch) | 10 inches center | 254,0 mm center | 0,0016 % | 182,9 cm (72 inches) |
| P11 | 0,381 mm (0,015 inch) | 0,25 inch center | 6,3 mm center | 0,28 % | 182,9 cm (72 inches) |
| P16 | 0,406 mm (0,016 inch) | Staggered 0,118 inch center | Staggered 3,0 mm center | 0,698 % | 182,9 cm (72 inches) |
| P31 | 0,381 mm (0,015 inch) | 1 inch center | 25,4 mm center | 0,018 % | 162,6 cm (64 inches) |
| P34 | 1,143 mm (0,045 inch) | Staggered 0,50 inch center | Staggered 12,7 mm center | 0,316 % | 182,9 cm (72 inches) |
| MP22 | 0,406 mm (0,016 inch) | Staggered 0,059 inch center | Staggered 1,5 mm center | 2,79 % | 182,9 cm (72 inches) |
| MP25 | 0,127 mm (0,005 inch) | Staggered 0,040 inch 0,079 inch | Staggered 1,0 mm 2,0 mm | 0,307 % | 72 inches (182.9 cm) |

NOTES

- Spacing is approximate.
- Various perforation methods can be utilized including and not limited to die stamping, laser, hot pin roller, needle punching, and pinwheel. The nominal dimensions quoted above may vary due to style of perforation, film type perforated, and film thickness. Testing should be done to ensure the material in the perforation style you have chosen will work for your individual application.
- Minimums are required for some perforation patterns when not in stock.

Last updated : 2017-08-22

Catalogue position : [Release films](#)