LUXEMBOURG

PRODUCT SELECTION GUIDE FOR DIFFERENT CURE TEMPERATURES

ROOM TEMPERATURE

| 100M TEMILENA | |
|----------------------------|--|
| Airtech catalogue section | Airtech products |
| Bagging films | Econolon, Wrightlon® 5400, Dahlar® Release Bag 125, Stretchlon® 200, Securlon® L-1000, Big Blue L-100, Securlon® L-500Y |
| Release Films | Wrightlon® 3900, Dahlar® Release Bag 125 |
| Pressure sensitive tapes | Flashbreaker® 1, 2, 5, 1R, 2R, 5R, Flashbreaker® 2 CBS Flashbreaker® 1(HT), Flashbreaker® 2R(HT), Airhold 1CBS, Airhold 10CBS, Wrightlease 2R |
| Mold releases (non-liquid) | Filmcote 1524, Toolwright 3, Toolwright 5, Tooltec® A005, Tooltec® A007, Tooltec® CA5, Tooltec® CS5 |
| Release fabrics | Econoply J, Econoply E, Econostitch®, Econolease, Econostitch® G Release Ply A, B, F, G |
| Breathers and bleeders | All Airweave® and Econoweave® products |
| Vacuum bag sealant tapes | Airseal 2, GS-95, GS-100, AT-199, AT-200Y |
| Vacuum valves and hoses | Vac Valve 401C or Vac Valve 399, Econoflow 59R hose, AQD 500TF quick disconnect |
| Resin infusion products | Toolfusion® 1A/1B, Toolfusion® 3, Infusioncoat 1A/1B, Greenflow 75, Resinflow 60, Greenflow 185, Resinflow 90 HT, Knitflow 160, FlowLease 160-37P16, polyethylene tubing, polyethylene spiral tubing, NTF-nylon barb "T" fittings, NEF-nylon bar elbow fittings, NCF-nylon barb coupling fittings, Sil-Tube, RIA, RB451, OF 313, 500, 750, 1000, OF 625V and OF750V, resin line clamps, resin infusion connectors. |

≤ 121 °C

| Airtech catalogue section | Airtech products |
|----------------------------|--|
| Bagging films | Securlon® L-500Y, Big Blue L-100, Stretchlon® 200, Stretchlon® HT-350, Stretchlon® 700, Wrightlon® 5400, 6400, 7400, Dahlar® Release Bag 125 |
| Release Films | Wrightlon® 3900, Wrightlon® 4600, Wrightlon® 5200, Dahlar® Release Bag 125 |
| Pressure sensitive tapes | Flashbreaker® 1, 2, 5, 1R, 2R, 5R, Flashbreaker® 2 CBS Flashbreaker® 1(HT), Flashbreaker® 2R(HT), Wrightcast 8500 PS, Wrightlease 2, Toolwright 3&5 |
| Mold releases (non-liquid) | Filmcote 1524, Toolwright 3, Toolwright 5, Tooltec® A005, Tooltec® A007, Tooltec® CA5, Tooltec® CS5 |
| Release fabrics | Econoply E, Econoply J, Econostitch®, Econolease, Econostitch® G Release Ply A, B, C, F, G (structural bonding), Bleeder Lease® A, B, G (non-structural bonding) |
| Breathers and bleeders | All Airweave® and Econoweave® products |
| Vacuum bag sealant tapes | Airseal 2, AT-200Y, GS-100, GS-213, AT-199 |
| Vacuum valves and hoses | Vac Valve 401 & 401C, Vac Valve 399, Vac Valve 402A, Airflow 65R hose, Econoflow 59 hose, AQD 500TF quick disconnect |
| Resin infusion products | Toolfusion® 1A/1B, Toolfusion® 3, Infusioncoat 1A/1B, Greenflow 75, Resinflow 60, Greenflow 185, Resinflow 90 HT, Knitflow 160, FlowLease 160-37P16, polyethylene tubing, polyethylene spiral tubing, NTF-nylon barb "T" fittings, NEF-nylon bar elbow fittings, NCF-nylon barb coupling fittings, Sil-Tube, RIA, RB451, OF 313, 500, 750, 1000, OF 625V and OF750V, resin line clamps, resin infusion connectors. |

ZI Haneboesch L-4562 Differdange Fax: +352 58 49 35 LUXEMBOURG

Phone: +352 58 22 82 1

PRODUCT SELECTION GUIDE FOR DIFFERENT CURE TEMPERATURES

E-mail: sales@airtech.lu

Website: www.airtech.lu

≤ 177 °C

| Airtech catalogue section | Airtech products |
|------------------------------|--|
| Bagging films | Stretchlon® 700, Stretchlon® 800, Stretchlon® 850, Wrightlon® 5400, Wrightlon® 6400, Wrightlon® 7400, Ipplon® KM1300, Securlon® L-1000 |
| Release Films | Wrightlon® 4600, Wrightlon® 5200, A4000, Airtech MR1/ MR2 |
| Pressure sensitive tapes | Flashbreaker® 1, 2, 5, 1R, 2R, 5R, Flashbreaker® 1(HT), Flashbreaker® 2R(HT), Wrightcast 8500 PS, Teflease MG2, Airhold 1 CBS, Flashbreaker® 2 CBS, Wrightlease 2, Toolwright 3&5 |
| Mold releases (non-liquid) | Filmcote 1524, Toolwright 3, Toolwright 5, Tooltec® A005, Tooltec® A007, Tooltec® CA5, Tooltec® CS5 |
| Release fabrics / Peel plies | Release Ply A, B, C, F, G, Release Ply Super A, Super F (structural bonding), Bleeder Lease® A, B or G (non structural bonding), Release Ease® 234 TFP, Release Ease® 234 TFNP |
| Breathers & Bleeders | All Airweave® or Ultraweave® products |
| Vacuum bag sealant tapes | AT-200Y, GS-100, GS-213, GS-43MR |
| Vacuum valves and hoses | Vac Valve 401 & 401C, Vac Valve 399 or Vac Valve 402A, MV 407 Airflow 65R hose, AQD 500TF quick disconnect |
| Resin infusion products | Toolfusion® 1A/1B, Toolfusion® 3, Infusioncoat 1A/1B, Resinflow 90 HT, Knitflow 105 HT, NTF-nylon barb "T" fittings, NEF-nylon bar elbow fittings, NCF-nylon barb coupling fittings, Sil-Tube, RIA, resin line clamps. |

≤ 199 °C

| Airtech catalogue section | Airtech products |
|------------------------------|--|
| Bagging films | Stretchlon® 800, Stretchlon® 850, Wrightlon® 7400, Ipplon® KM1300, Ipplon® DP1000, Securlon® L-1000, Securlon® L-2000 |
| Release Films | Wrightlon® 4600, Wrightlon® 5200, A4000, Airtech MR1/MR2 |
| Pressure sensitive tapes | Flashbreaker® 1, 2, 5, 1R, 2R, 5R, Flashbreaker® 2R(HT), Wrightcast 8500 PS, Teflease MG2, Airhold 1 CBS, Flashbreaker® 2 CBS, Wrightlease 2, Toolwright 3&5 |
| Mold releases (non-liquid) | Filmcote 1524, Toolwright 3, Toolwright 5, Tooltec® A005, Tooltec® A007, Tooltec® CA5, Tooltec® CS5 |
| Release fabrics / Peel plies | Release Ply A, B, C, F, G, Super A, Super F (structural bonding), Bleeder Lease® A, B or G (non structural bonding), Release Ease® 234 TFP, Release Ease® 234 TFNP |
| Breathers & Bleeders | All Airweave® or Ultraweave® products |
| Vacuum bag sealant tapes | AT-200Y, GS-213, GS-213-3 or GS-43MR |
| Vacuum valves and hoses | Vac Valve 401, Vac Valve 402 & 402A, MV 407, Airflow 65R, Airflow 100R hose, AQD 500TF or Airlock 450TF quick disconnect |
| Resin infusion products | Toolfusion® 1A/1B, Knitflow 105 HT, Sil-Tube, RIA |

Last updated: 2020-01-24

ZI Haneboesch L-4562 Differdange Fax: +352 58 49 35 LUXEMBOURG

Phone: +352 58 22 82 1 E-mail: sales@airtech.lu

PRODUCT SELECTION GUIDE FOR DIFFERENT CURE TEMPERATURES

Website: www.airtech.lu

≤ 232 °C

| Airtech catalogue section | Airtech products |
|----------------------------|--|
| Bagging films | Wrightlon® 8400, Ipplon® DPT1000 or Ipplon® WN1500 |
| Release Films | Wrightlon® 5200, A4000, Airtech MR1/MR2 |
| Pressure sensitive tapes | Teflease MG2, Airkap 1 |
| Mold releases (non-liquid) | Filmcote 1524, Toolwright 3, Toolwright 5, Tooltec® A005, Tooltec® A007, Tooltec® A012, Tooltec® CA5, Tooltec® CS5 |
| Release fabrics | Release Ply A, B, Super A (structural bonding), Bleeder Lease® A, B (non structural bonding), Release Ease® 234 TFP, Release Ease® 234 TFNP |
| Breathers & Bleeders | All Ultraweave® products |
| Vacuum bag sealant tapes | GS-213-3, GS-43MR |
| Vacuum valves and hoses | Vac Valve 401, Vac Valve 402 & 402A, MV 407 Airflow 65R, Airflow 100R, Airflow 800 or BBH 1080 hose, AQD 500TF or Airlock 450TF quick disconnect |
| Resin infusion products | OF 313, 500, 750, 1000 |

≤ 288 °C

| Airtech catalogue section | Airtech products |
|---------------------------|--|
| Bagging films | Thermalimide E |
| Release Films | Airtech MR1/ MR2 |
| Pressure sensitive tapes | Teflease MG2, Airkap 1 |
| Release fabrics | Bleeder Lease® C, E, Release Ease® 234 TFP, Release Ease® 234 TFNP |
| Breathers & Bleeders | Airweave® UHT 800 |
| Vacuum bag sealant tapes | A-800-3G |
| Vacuum valves and hoses | Vac Valve 409 SS HTR, Airflow 800 or BBH 1080 hose, Airlock 550TF quick disconnect |

Last updated: 2020-01-24

ZI Haneboesch LUXEMBOURG

Phone: +352 58 22 82 1 E-mail: sales@airtech.lu L-4562 Differdange Fax: +352 58 49 35

PRODUCT SELECTION GUIDE FOR DIFFERENT CURE TEMPERATURES

Website: www.airtech.lu

≤ 343 °C

| Airtech catalogue section | Airtech products |
|---------------------------|--|
| Bagging films | Thermalimide E |
| Release Films | Thermalimide E RCBS |
| Pressure sensitive tapes | Airkap 1 |
| Release fabrics | Bleeder Lease® C, E |
| Breathers & Bleeders | Airweave® UHT 800 |
| Vacuum bag sealant tapes | A-800-3G (use with GS-43MR) |
| Vacuum valves and hoses | Vac Valve 409 SS HTR, Airflow 800 or BBH 1080 hose, AHTC 1000 QTD quick disconnect |

≤ 399 °C

| Airtech catalogue section | Airtech products |
|---------------------------|--|
| Bagging films | Thermalimide E |
| Release Films | Thermalimide E RCBS |
| Pressure sensitive tapes | Airkap 1 |
| Release fabrics | Bleeder Lease® C, E |
| Breathers & Bleeders | Airweave® UHT 800 |
| Vacuum bag sealant tapes | A800-3G (use with GS-43MR) |
| Vacuum valves and hoses | Vac Valve 409 SS HTR, Airflow 800 or BBH 1080 hose, AHTC 1000 QTD quick disconnect |

Last updated: 2020-01-24